

CARBOHYDRATE RESEARCH VOL. 207 (1990)

AUTHOR INDEX

- Abeysekera, R. M., 307
Alais, J., 11
Albersheim, P., c1
Alton, G., 259
Andrew, D., 295
- Baer, H. H., 81
Baker, D. C., 277
Baumes, R., 39
Bayonove, C., 39
Bird, K. T., 319
Brade, H., 327
Brown, R. G., 307
Burd, R., 295
- Caer, V., 287
Calub, T. M., 221
Canellas, J., 126
Cherniak, R., 101
Chiles, T. C., 319
- Darvill, A., c1
Das, S., 336
Deléens, E., 287
Demetzos, C., 131
Drakenberg, T., 177
Driguez, H., 126
- Ebringerová, E., 121
Emori, Y., 311
Excoffier, G., 126
- Fernandez de la Pradilla, R., 249
French, A. D., 221
Fukushi-Fujikura, Y., 91
- Garg, H. G., 295
Ghosal, P. K., 336
- Hämäläinen, M. D., 167
Hashimoto, H., 153
Hernández Mateo, F., 81
Hindsgaul, O., 259
Holme, K. R., 143
Holst, O., 327
Horito, S., 153
- Jain, R. K., 57
Jaramillo, C., 249
- Jeffrey, G. A., 211
Jiang, C., 277
Jimenez-Barbero, J., 249
Johansson, C., 177
Jones, R. G., 101
- Kačuráková, M., 121
Kamerling, J. P., 237
Kauffman, T., 33
Khan, S. H., 57
Klaffke, W., 33
Koch, M., 131
Kördel, J., 177
- Lerner, L. M., 138
Lindberg, B., 307
Lippay, E. W., 295
López Aparicio, F. J., 81
- M'Bairaroua, O., 39
Maas, A. A. M., 237
Mabusela, W. T., 332
Maclean, D. B., 1
Maeda, M., 91
Maluszynska, H., 211
Martin, M. L., 287
Martin Willison, J. H., 307
Martin-Lomas, M., 249
Masuda, A., 311
Matta, K. L., 57
Meyer, B., c1
Morris, Jr., P. E., 277
Mosihuzzaman, M., 307
- Nahar, N., 307
Naulet, N., 287
Neame, P. J., 295
Nordkvist, E., 167
- Ogihara, Y., 71
Ohno, N., 311
Oikawa, S., 311
Okamoto, N., 71
Otsuru, O., 91
- Peltier, J. M., 1
Penades, S., 249
Perlin, A. S., 143

Pertrak, E., 121
Philipp, C., 33
Pou-Ilinas, J., 126

Ray, B., 336
Reinhardt, D. J., 101
Rej, R. N., 143

Saito, K., 311
Santoyo González, F., 81
Schedler, D. J. A., 277
Schwebel-Dugué, N., 287
Sellers, J., c1
Serianni, A. S., 185
Shibata, S., 71
Skaltsounis, A. -L., 131
Slaghek, T. M., 237
Smith, R. W., 1
Srivastava, G., 259
Stephen, A. M., 332
Stortz, C. A., 101
Szarek, W. A., 1

Takeda, T., 71
Tamura, J. -I., 153

Tapiero, C., 39
Ternrud, I. E., 167
Theander, O., 167
Thiem, J., 33
Tillequin, F., 131
Treber, T. D., 101

Utsuno, A., 71

van Oijen, A. H., 237
Veyrières, A., 11
Vignon, M., 126
Vliegthart, J. F. G., 237
Voirin, S., 39
Vuorinen, T., 185

Waterhouse, A. L., 221

Yadomae, T., 311
York, W., c1
Yoshimura, J., 153

Zapata, A., 249
Zayed, A.-H. A., 277

CARBOHYDRATE RESEARCH VOL. 207 (1990)

SUBJECT INDEX

- Acetals of *myo*-inositol and its (\pm)-1-benzyl ether, improved preparation of, 249
- Acetylated aldoses, multivariate calibration in the g.l.c. determination of, 167
- Agglutinin from red alga, *Gracilaria tikvahiae* purification of, 319
- Alditol acetates, partially methylated, identification of the mass spectra of, by artificial neural networks, c1
- Almond shells, production of xylose by steam pretreatment of, 126
- Amines, formation from azides during mass spectrometry of, 1
- Analysis of *myo*-inositol phosphates by 2D ^1H -n.m.r. spectroscopy, 177
- Antigenic polysaccharide from *Peptostreptococcus anaerobius*, structure, 101
- Apigenin glycosides, phase-transfer-catalyzed synthesis of, 131
- Arabinoglucuronomannoglycan from the leaves of *Ornithogalum thyrsoides*, 332
- Artificial neural networks, identification of the mass spectra of partially methylated alditol acetates by, c1
- Azides, reduction under conditions of d.c.i. or f.a.b. mass-spectrometry of, 1
- i-Blood group active poly-(*N*-acetylactosamine) series, synthesis of fragments of, 11
- Bryopsis maxima*, a siphonous green alga, cellulose in, 91
- Calcium ions, binding to heparin of, 143
- 3-*C*-Carbamoyl-3-*C*-cyano-3-deoxyhexopyranosides by cyclization of dialdehydes with cyanoacetamide, 81
- Cellulose in the cell wall of *Bryopsis maxima*, a siphonous green alga, 91
- Combined chemical-enzymic synthesis of deoxygenated oligosaccharide analogs: transfer of deoxygenated D-Glc pNAc residues from their UDP-Glc pNAc derivatives using *N*-acetylglucosaminyltransferase I, 259
- Complexation of silver ion with the glycosyl donor and acceptor on the regio- and stereo-selectivity in the β -mannopyranosylation of 1,3-di-*N*-benzyloxycarbonyl-2-deoxystreptamine using silver triflate in THF, effect of, 153
- Conformational analysis of inulobiose by molecular mechanics, 221
- Copper ions, binding to heparin of, 143
- Crystal structure and thermotropic liquid-crystal properties of *N*-*n*-undecyl-D-gluconamide, 211
- Cyanoacetamide, synthesis of branched hexopyranosides by cyclization of dialdehydes with, 81
- 3-Deoxy-5-*O*- α -L-rhamnopyranosyl-D-*manno*-2-octulopyranosonate from the inner core region of the lipopolysaccharide of *E. coli* K-12, isolation and identification, 327
- Dipeptide, N-triglycosyl-, synthesis of α and β anomer of, 71
- Ferric chloride, formation of β -D-ribofuranosyl β -D-ribofuranoside hexabenzoate catalyzed by, 138
- Flavonoid glycosides, phase-transfer-catalyzed synthesis of, 131
- Fluorinated derivatives of *myo*-inositol, synthesis and deuterium labeling, 277
- Gadolinium ions, binding to heparin of, 143
- G.l.c. determination of acetylated aldoses, multivariate calibration in the, 167
- β -D-Glucans, reactivity of *Limulus* amoebocyte lysate towards (1 \rightarrow 3)-, 311
- D-Gluconamide, *N*-*n*-undecyl-, crystal structure and thermotropic liquid-crystal properties, 211
- Glycosides, monoterpenyl, of grape, synthesis of, 39
- Glycosyl donor and acceptor on the regio- and stereo-selectivity in the β -mannopyranosylation of 1,3-di-*n*-benzyloxycarbonyl-2-deoxystreptamine using silver triflate in THF, effect of complexation of silver ion with the, 153
- Gracilaria tikvahiae*, purification of agglutinin from, 319
- Grape monoterpenyl glycosides, synthesis of, 39
- Hexopyranosides, branched by cyclization of dialdehydes with cyanoacetamide, 81
- Hydrogen isotope ratios in the characterization of plant cellulose, site-specific natural, 287
- Infrared spectra of the positional isomers of the methyl xylobiosides in the "anomeric region", 121
- myo*-Inositol and its (\pm)-1-benzyl ether, improved preparation of acetals of, 249
- myo*-Inositol, 5-deoxy-5-fluoro derivatives, synthesis and deuterium labeling, 277
- myo*-Inositol phosphates, analysis by 2D ^1H -n.m.r. spectroscopy, 177
- Inulobiose, conformational analysis of, by molecular mechanics, 221

- Isolation and identification of 3-deoxy-5-*O*- α -L-rhamnopyranosyl-D-manno-2-octulopyranosonate from the inner core region of the lipopolysaccharide of *E. coli* K-12, 327
- Keloid scar, human, proteoglycans from, 295
- Limulus* amoebocyte lysate, reactivity towards (1 \rightarrow 3)- β -D-glucans, 311
- Lipopolysaccharide of *E. coli* K-12, isolation and identification of 3-deoxy-5-*O*- α -L-rhamnopyranosyl-D-manno-2-octulopyranosonate from the inner core region of the, 327
- Liquid-crystal properties of *N*-*n*-undecyl-D-glucanamide, and crystal structure, 211
- β -Mannopyranosylation of 1,3-di-*N*-benzyloxy-carbonyl-2-deoxystreptamine using silver triflate in THF, effect of complexation of silver ion with the glycosyl donor and acceptor on the regio- and stereo-selectivity in the, 153
- D-Mannosyl-oligosaccharides, synthesis of methyl and 4-nitrophenyl glycosides of, 57
- Mass spectra of partially methylated alditol acetates, identification of, by artificial neural networks, c1
- Mass spectrometry, d.c.i. and f.a.b., reduction of azides to amines during, 1
- C-Methyl-branched sugars, synthesis in the presence of tetramethylzirconium (IV) of, 33
- (4-*O*-Methyl-D-glucurono)-D-xylan isolated from the mucilage of seeds of the quince tree (*Cydonia oblonga*), an unusual, 307
- Methyl glycoside of D-mannosyl-oligosaccharides, synthesis of, 57
- Methyl xylobiosides, infrared spectra of the positional isomers of the, in the "anomeric region", 121
- Molecular mechanics, conformational analysis of inulobiose by, 221
- Multivariate calibration in the determination of acetylated aldoses by g.l.c., 167
- N.m.r. spectroscopy, analysis of *myo*-inositol phosphates by 2D-, 177
- N.m.r. spectroscopy, ^1H - and ^{13}C -, the analysis of ^{13}C -substituted pentos-2-uloses, 185
- Nephritogenoside, synthesis of fragment of, 11
- 4-Nitrophenyl glycoside of D-mannosyl-oligosaccharides, synthesis of, 57
- Oligosaccharide analogs, combined chemical-enzymic synthesis of deoxygenated, 259
- Oligosaccharides, linear, tetra, hexa, and octa, synthesis of, 11
- Ornithogalum thyrsoides*, an arabinoglucuronomannoglycan from the leaves of, 332
- Pentos-2-uloses, synthesis of ^{13}C -substituted, solution composition, and conformations (analysis by ^1H - and ^{13}C -n.m.r. spectroscopy), 185
- Peptostreptococcus anaerobius*, polysaccharides from, and structure of the species-specific antigen, 101
- Polysaccharide, from the seeds of *Salmalia malabarica*, structural studies of a, 336
- Polysaccharides from *Peptostreptococcus anaerobius* and structure of the species-specific antigen, 101
- Polysaccharides of *Streptococcus pneumoniae* types 6A and 6B, synthesis of structural elements of the capsular, 237
- Preparation of acetals of *myo*-inositol and its (\pm)-1-benzyl ether, improved, 249
- Proteoglycans from human keloid scar, 295
- Quercetin glycosides, phase-transfer-catalyzed synthesis of, 131
- Quince tree (*Cydonia oblonga*), an unusual (4-*O*-methyl-D-glucurono)-D-xylan isolated from the mucilage of seeds of the, 307
- Reactivity of *Limulus* amoebocyte lysate towards (1 \rightarrow 3)- β -D-glucans, 311
- Red alga, *Gracilaria tikvahiae*, purification of agglutinin from, 319
- Repetitive oligosaccharide sequences, synthesis of, 11
- β -D-Ribofuranoside, β -D-ribofuranosyl, hexabenzozate, formation catalyzed by FeCl_3 of, 138
- β -D-Ribofuranosyl β -D-ribofuranoside hexabenzozate, formation catalyzed by FeCl_3 of, 138
- Salmalia malabarica*, structural studies of a polysaccharide from the seeds of, 336
- Scar, human keloid, proteoglycans from, 295
- Siphonous green alga, *Bryopsis maxima*, cellulose in, 91
- Site-specific natural hydrogen isotope ratios in the characterization of plant cellulose, 287
- Steam pretreatment, production of xylose from almond shells by, 126
- Streptococcus pneumoniae* types 6A and 6B, synthesis of structural elements of the capsular polysaccharides of, 237
- Synthesis of deoxygenated oligosaccharide analogs, combined chemical-enzymic, 259
- Synthesis of structural elements of the capsular polysaccharides of *Streptococcus pneumoniae* types 6A and 6B, 237
- Tetramethylzirconium(IV), synthesis of C-methyl branched sugars in the presence of, 33
- Terpenyl glycosides of grape, synthesis of, 39
- N-Triglycosyldipeptide, α and β anomer synthesis of, 71
- Xylan, an unusual (4-*O*-methyl-D-glucurono)-D-, from the mucilage of seeds of the quince tree (*Cydonia oblonga*), 307
- Xylobiosides, infrared spectra of the positional isomers of the methyl, in the "anomeric region", 121
- Xylose, production from almond shells by steam pretreatment of, 126
- Zirconium(IV), tetramethyl-, synthesis of C-methyl branched sugars in the presence of, 33

Purification and characterization of iduronic acid-rich and glucuronic acid-rich proteoglycans implicated in human post-burn keloid scar H.G. Garg, E.W. Lippay, D. Andrew, R. Burd (Boston, MA, U.S.A.), and P.J. Neame (Tampa, FL, U.S.A.)	295
An unusual (4- <i>O</i> -methyl-D-glucurono)-D-xylan isolated from the mucilage of seeds of the quince tree (<i>Cydonia oblonga</i>) B. Lindberg (Stockholm, Sweden), M. Mosihuzzaman, N. Nahar (Dhaka, Bangladesh), R.M. Abeyssekera, R.G. Brown, and J.H. Martin Willison (Halifax, N.S., Canada)	307
Reactivity of <i>Limulus</i> amoebocyte lysate towards (1→3)- β -D-glucans N. Ohno, Y. Emori, T. Yadomae, K. Saito, A. Masuda, and S. Oikawa (Tokyo, Japan) .	311
<i>Gracilaria tikvahiae</i> agglutinin. Partial purification and preliminary characterization of its carbohydrate specificity T.C. Chiles (Boston, MA, U.S.A.) and K.T. Bird (Wilmington, NC, U.S.A.)	319
<i>Notes</i>	
Isolation and identification of 3-deoxy-5- <i>O</i> - α -L-rhamnopyranosyl-D-manno-2-octulopyranosonate from the inner core region of the lipopolysaccharide of <i>Escherichia coli</i> K-12 O. Holst and H. Brade (Borstel, F.R.G.)	327
An arabinoglucuronomannoglycan from the leaves of <i>Ornithogalum thyrsoides</i> W.T. Mabusela and A.M. Stephen (Rondebosch, South Africa)	332
Structural studies of a polysaccharide from the seeds of <i>Salmalia malabarica</i> S. Das, P.K. Ghosal, and B. Ray (Burdwan, India)	336
Identification of the mass spectra of partially methylated alditol acetates by artificial neural networks J. Sellers, W. York, P. Albersheim, A. Darvill, and B. Meyer (Athens, GA, U.S.A.)	c1
<i>Author index</i>	c7
<i>Subject index</i>	c9

INFORMATION FOR AUTHORS

For the full Instructions to Authors see *Carbohydr. Res.*, 132 (1984) 185–199; these should be consulted when preparing manuscripts for submission.

Papers should deal with original work not published elsewhere in an accessible language. Manuscripts (3 copies) should be prepared in typing with a 1-cm space between each line; this includes legends to Figures, references, and footnotes.

Flexibility in presentation of results will be allowed and the general type of preparation should be similar to that adopted in this issue. Careful attention must be paid to nomenclature, which should conform to the British-American Rules of Carbohydrate Nomenclature [*J. Org. Chem.*, 28 (1963) 281; *J. Chem. Soc.*, (1962) 5307] until there is full international agreement by IUPAC.

References should be given at the end of the paper: they should be numbered and the numbers should appear in the text in sequence at the appropriate places as superscripts without parentheses. The abbreviation of journal titles should conform to those adopted by the *Bibliographic Guide for Editors and Authors*, Chemical Abstracts Service, Columbus, OH 43210, and should be followed by volume number, year (in parentheses) and inclusive pagination. For example: *Carbohydr. Res.*, 6 (1968) 63–74. Each paper should have an abstract of 80–200 words. For papers in French or German, an English abstract should be supplied.

Line drawings should be in a form suitable for reduction and reproduction, drawn in black ink on drawing paper or tracing paper. All artwork should be original or a good quality photocopy and must be on a separate sheet and not attached to the manuscript page.

Photographs should be submitted as clear black-and-white prints on glossy paper.

Tables, and a list of legends to the illustrations, should be typed on separate pages and placed at the back of the manuscript.

Articles submitted as Preliminary Communications should be accompanied by a letter explaining the special justification for urgent publication, together with sufficient supplementary information (analytical and spectroscopic data) to permit referees to judge the soundness of the work. The typewritten text for publication, including references, charts, and formulae, should not normally exceed four pages. In the interest of rapid publication, proofs of Preliminary Communications will not be circulated to the author unless a specific request is made at the time of submission, in which case the author should, if possible, supply a FAX number for the transmittal of proof pages.

